



鸿伟能源有限公司

Howell Energy Co., Ltd.

B1010, Genzon Times Square, Longgang Center, Shenzhen PR China  
Tel : 0086 755 89335456 Fax: 0086 755 89335457 www.howellenergy.com

---

## POLYMER LI-ION BATTERY SPECIFICATIONS

Model: Howell535058

Capacity: 1850mAh

Date: 1<sup>st</sup> Sep, 2016

Version: 1.1

### **Customer Approval**

**Comment:** (Please return one copy with your approval signature)

**Customer's Signature:**

Approved	Checked	Draft
谭剑华 Tan Jian Hua	张娜 Zhang Na	张桂华 Guihua Zhang
Date: 2016.9.1	Date: 2016.9.1	Date: 2016.9.1

# Datasheet: HW535058

**1.Scope:** This document describes the product specifications of rechargeable lithium ion polymer battery produced by HOWELL.

**2. P/N:** HW535058 1850mAh

## 3. Parameters Index:

### 3.1 Parameters:

No.	Item	Spec	Remark
1	Charge Voltage Max.	4.2V	
2	Nominal Voltage	3.7V	Cell voltage between 3.75V~3.95V before shipping
3	Typical Capacity	1850mAh	Nominal capacity refers to the capacity of 1C discharge with 3.0V cut-off voltage, after charging with standard method.
	Minimum Capacity	1600mAh	
4	Cycle Life	≥700 Times	One cycle refer to one charge period and then one discharge period. Test condition: Charge: 1C to 4.2V Discharge: 1C to 3.0V The cycle life is the cycle times when the discharge capacity is about 80% of the rated capacity.
5	Self-discharge	Residual Capacity>90%	After standard charging, stored at 25°C±0.5°C for 30 days, then measure the capacity as item 4.
6	Impedance	Max: 140mΩ	After standard charging, measure the internal resistance with AC1KHz
7	Standard Charge	0.2C	
8	Charge Current Max.	1.0C	
9	Standard Discharge	0.2C	
10	Discharge Current Max.	2.0C	
11	Discharge Cut-off Voltage	3.0V	
12	Operating Temperature	Charge: 0 °C ~ +45°C Discharge: -20°C ~ +60°C	Cells must be stored at 3.75V~3.95V. During long period storage, cells should be maintained every 90 days. The method is to do a charge-discharge cycle with standard method, then charge to 3.75~3.95V.
13	Storage Temperature	-20°C ~ +45°C	
14	Weight	Appr.35g	
15	Pack Dimension	T: 5.5mm Max W: 50.5mm Max L: 60.0mm Max	Measured with weighting 300gf at 25°C± 0.5°C Not including Tabs
16	PCM	HW44*3.8*0.6 FR-4	

Note: if the battery is in series, the internal resistance of PTC will change according to the temperature.

## 4. Performance Testing and Inspection

### • 4.1 Standard Testing Environment

Unless otherwise noticed, the testing should be done within month time from delivery, and the charging-recharging time should be less than 5 times. The testing conditions are as follows:

Ambient Temperature: 25°C ± 0.5°C

Ambient Humidity: 65 ± 20%

### • 4.2 The Requirement of Measurements and Instrumentations

(1) The measurements and instrumentations should be approved by qualified institute.

(2) The accuracy of the size instrument is not more than 0.01mm.

(3) The accuracy of multimeter is not less than 0.5% while measure the voltage, the internal resistance mustn't less than 10KΩ.

(4) The principal of the internal resistance is 1KHz LCR, the accuracy is 0.2%.

(5) The internal resistance is changeable; it varies according to the temperature and the charging mode. And it is relevant to the PTC

and the length and the Capacity of the drawing line.

(6) The current accuracy of the battery test system is more than  $\pm 0.1\%$ , is obarically accuracy is  $\pm 0.5\%$ , timer accuracy is less than  $\pm 0.1\%$ .

(7) The accuracy of the temperature meter is less than  $\pm 0.5^{\circ}\text{C}$

#### • 4.3 Visual Inspection

Any visual inspection defects will affect the electronic characteristics, such as leakage, flaw, are not inexistence.

#### • 4.4 Charge/Discharge Methods and Test Conditions

NO.	Item	Testing Condition and Method
1	Charging Current	Quick CC: 0.5C Standard CC: 0.2C
2	Standard Charging	Constant Voltage Charging at 4.2V to cut-off current $\leq 0.01\text{C}$ Constant Current Charging at 1C to 4.2V.
3	Quick Charging	Constant Voltage Charging at 4.2V to cut-off current $\leq 0.01\text{C}$
4	Standard Discharge	Constant discharge at 0.2C to cut-off voltage of 3.0V.
5	Charging Time	Standard charging time: 6.5 hours Quick charging time: 2.5 hours
6	Temperature & Humidity	Standard charging: $0\sim 45^{\circ}\text{C}$ $45\sim 85\% \text{ RH}$ Quick charging: $10^{\circ}\text{C} \sim 45^{\circ}\text{C}$ $45\sim 85\% \text{ RH}$ Standard discharging: $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$ $45\sim 85\% \text{ RH}$
7	Open Voltage	3.75~3.95V (Before shipping)

Notes: The maximum charging voltage should not be more than 4.2V, and the PCM voltage designed on PCB board should not more than 4.3V.

#### • 4.5 Mechanical Characteristics

NO.	Item	Testing Condition and Method	Standard
1	Vibration Testing	After standard charging, fixed the cell to vibration table and subjected to vibration cycling that the frequency is to be varied at the rate of 1Hz per minutes between 10Hz and 55Hz, the excursion of the vibration is 0.38mm. The cell shall be vibrated for 30 minutes fro three axis of XYZ axes.	No leakage. Left Capacity $\geq 90\%$ , after 3 hours.
2	Fall Down Testing	Drop the cell from 1meter height onto the concrete ground twice.	No explore, no fire and no leakage

#### • 4.6 Safety Testing

NO.	Item	Testing Condition and Method	Standard
1	Over-charge	Charge is conducted for 8 hours while the invariable voltage is 4.6V.	No deformation and leakage
2	Short-circuit	The charged battery is short-circuited for 1 hour at 100 m $\Omega$ .	No explode or fire
3	Heat Shock	Put the battery into the heat box, the temperature is rising to $130\pm 2^{\circ}\text{C}$ at the rate of $(5\pm 2^{\circ}\text{C})/\text{min}$ and maintain for 10 minutes. Then cool down to room temperature at the rate of $5\pm 2/\text{min}^{\circ}\text{C}$ .	No explode or fire
4	Humidity and Heat	Put the charged battery into box for 48 hours, the temperature is $40\pm 2^{\circ}\text{C}$ and the relative humidity is $90\%\sim 95\%$ .	No smoke or explode

#### • 4.7 Temperature Testing

NO.	Item	Testing Condition and Method	Standard
1	High Temperature	Put the charged battery into the high temperature box for 2 hours at $55\pm 2^{\circ}\text{C}$ . And discharge the battery at 1C current until the voltage is 3.0V.	Discharge 90 percent of the original capacity.
2	Low Temperature	Put the charged battery into the low temperature box for 16 hours to 24 hours at $-10\pm 2$ . And then discharge the battery at 0.1C until the voltage is 3.0V	Discharge more than 45 percent of the original capacity.

#### • 4.8 Electricity Maintenance

NO.	Item	Testing Condition and Method	Standard
1	Electricity Maintenance	Reset the charge battery for 28 days at the ambient temperature of $25\pm 0.5^{\circ}\text{C}$ . And then discharge the battery until the voltage is ended.	Discharge more than 85 percent of the original capacity.

### 5.Storage and Others


#### • 5.1 Long Period Storage

Should the batteries have been stored for 3 months and stay unused, and then it is advisable to transfer them to a dry and cool place. Voltage at storage should be between 3.75V and 3.95V and the storage conditions followed as item 4.1.

• 5.2 Any matters that this specification does not cover should be conferred between the customer and HOWELL.


### 6. Mechanical Drawings:

#### 6.1 Assembly Diagram (not in scale)



Item	Description	Dimension (mm)
T1	Thickness	5.5(MAX)
T1	Thickness	5.3(MAX)
W	Width	50.5(MAX)
L1	Length	60.0(MAX)
L2	The lead wire length	$80\pm 3$
The model of lead wire:		UL1571 28AWG, R/Y/B
The model of connector:		Molex51021-3P Positive Polarity

#### 6.2 Single Cell Drawing (Not in scale)



Item	Description	Dimension (mm)
T	Thickness	5.3(MAX)
W	Width	50.0(MAX)
L	Length	58.0(MAX)
L2	Length	2.0(MAX)
L3	Length	$8\pm 1$
L4	Length	54.0 (MAX)
W2	Center distance	$33\pm 1.2$
d	Width	$6.0\pm 0.2$

## Handling Precaution and Guide line for Li-Polymer Rechargeable Batteries

This document of 'handling precautions and guideline for rechargeable batteries' shall be applied to the battery cells manufactured by HOWELL. It is advisable to contact HOWELL in advance if and when the customer needs other applications of operating conditions than those described in this document. Additional experimentation may be required to verify performance and safety under such condition. HOWELL will take no responsibility for any accident when the cell is used under other condition. HOWELL will inform, in a written form, the customers of improvement(s) regarding proper use and handling of the cell, if it is deemed necessary.

### 1. Charging

#### 1.1 Charging Current:

Charging current should be less than maximum charge current specified in the Specification Approval Sheet.

#### 1.2 Charging Voltage:

Charging voltage should be less than the maximum nominal voltage 4.2V, and the charging voltage upper limited is 4.30V (single pack) .

#### 1.3 Charging Temperature:

The cell should be charged within the range specified in this Specification Approval Sheet.

#### 1.4 Notes:

Since charging with constant current or constant voltage, reverse charging is prohibited. In case of the cell is connected improperly, the cell cannot be charged. Simultaneously, the reverse charging may cause damaging to the cell which may lead to degradation of cell performance and damage the cell safety, and could cause heat generation or leakage.

### 2. Discharging Current:

The cell shall be discharged at less than the maximum discharge current specified in the Specification Approval Sheet. High discharging current may reduce the discharging capacity significantly or cause over-heat.

### 3. Discharging Temperature

Discharging Temperature should be within the range specified in this Specification Approval Sheet.

### 4. Over-Discharge

Over-discharging will cause cell low-performance and function loss. The cell would be in a over-discharged state by its self-discharge characteristic. In order to prevent over-discharging, the cell shall be charged periodically to maintain between 3.75V and 3.95V.

### 5. Protective Circuit Module (PCM)

5.1 The cell / battery pack shall be with a PCM that can protect cell / battery pack properly. PCM shall have functions of

- Overcharge prevention
- Over-discharge prevention
- Over current prevention to maintain safety and prevent significant deterioration of cell performance. The over current can occur by external short circuit.

#### 5.2 Overcharge Protection

Overcharging prevention function shall stop charging if any cell of the battery pack reaches 4.30V.

#### 5.3 Over-discharge Protection

Over-discharging protection function shall monitor the voltage of every cell in the pack.

### 6. Storage

Cells should be stored in proper temperature specified in datasheet.

## 7. Notice!

### 7.1 Handling of Cells:

- Avoid any short-circuit; it will cause the pole hot and lost electronic functions.
- Soft packing is very damaged by sharp edge parts such as needles and knives. Avoid cells touch with sharp edge part, when handling and storage.
- Beside the poles is the sealed edge. Don't bend or fold dealing edge, for it is a sensitive part.
- Don't open the folding edge on both sides of the cells.
- Don't bend the tabs, for the tabs are not so stubborn.
- Avoid mechanical shock to the cells.
- Don't put the cells into the heater, washing machine or high-voltage container.
- Don't use the charger without any safety guarantee, and recommend you use specified charger.
- You should immediately stop charging, as cell is overheating, delivery any smell, changed color, distortion etc.
- Before Children use batteries, adults should explain the usage first.
- Before use batteries, please read the handling guideline carefully and fully understand.
- Away from the static-electronic field, while using, charging and storing cells.
- Don't put the cells together with metal conductors such as chains, barrette, bolt into the pocket or stored them together.
- Don't use metal conductor to shortcut the positive and negative poles.
- Don't mis-assemble the positive pole with the negative one.

### 7.2 Notice for Designing Battery Pack

#### 7.2.1 Package Design

- ① Battery pack should have sufficient strength and battery should be protected from mechanical shock.
- ② No sharp edge components should be inside the pack containing the battery.

#### 7.2.2 PCM Design

- ① The overcharge threshold voltage should not be exceed 4.25V (single pack)
- ② The over-discharge threshold voltage should not be lower than 2.40V (single pack)
- ③ The PCM should have short protection built inside.

### 7.3 Notices for Assembling Battery Pack

#### 7.3.1 Tab Connection

- ① Ultrasonic welding or spot welding is recommended to connect battery with PCM or other parts.
- ② If apply manual solder method to connect tab with PCM, below notice is very important to ensure battery performance.
  - a. The solder iron should be temperature controlled and ESD safe.
  - b. Soldering temperature should not exceed 350℃.
  - c. Soldering time should not be longer than 3 seconds
  - d. Keep battery tab cold down before next time soldering.
  - e. Directly heat cell body is strictly prohibited. Battery should be damaged by heat above approx. 60℃

#### 7.3.2 Cell Fixing

- ① The battery should be fixed to the battery pack by its large surface area.
- ② No sharp edge at the assembling position.
- ③ No cell movement in the battery pack should be allowed.

## 8.Others

**8.1** The disassembling may generate internal short circuit in the cell, which may cause gassing, firing, or other problem.

### 8.2 Prohibition Of Disposing Cells of Fire

Never incinerate or dispose the cells of fire, for these may cause burning of the cells.

**8.3** The cells should never be soaked with liquids such as water, drinks or oil.

8.4 Prohibit using the cells mixed with different manufactories. Prohibit using new cells mixed with old ones.

▲ Special Notice: Keep the cells in half-charged state, which is keeping them fully charged or completely discharged. Storing the cells in cool and dry place

## Appendix

### 1. Electrical Characteristics

Item	Symbol	Content	Criterion
Over Charge Protection	$V_{DET1}$	Over charge detection voltage	4.325±0.025V
	tCU	Over charge detection delay time	0.96s to 1.4s
	$V_{REL1}$	Over charge release voltage	4.075±0.05V
Over Discharge Protection	$V_{DET2}$	Over discharge detection voltage	2.50±0.05V
	tDL	Over discharge detection delay time	115ms-173ms
	$V_{REL2}$	Over discharge release voltage	2.9±0.1V
Over Current Protection	$V_{DET3}$	Over current detection voltage	0.15±0.015V
	$I_{DP}$	Over current detection current	3.5±1A
	tIOV1	Over current detection delay time	7.2ms to 11ms
		Release condition	Cut load
Short Protection		Detection Condition	Exterior short circuit
		Release condition	Cut short circuit
	tIOV2	Shot circuit detection delay time	220-380uS
Interior Resistance	$R_{DS}$	Main loop electrify resistance	VC=4.2V, $R_{DS} \leq 45m\Omega$
Current Consumption	$I_{DD}$	Current consume in normal operation	4μA Type 7.0μA Max

### 2. BOM of PCB

No.	Location	Part name	Specification	Package	Qty	Supplier/Remark
1	U1	Protection IC	S-8261AANMD-G2J	SOT-23-6	1	SEIKO
2	U2	MOSFET	S8205A	TSOP-8	1	
3	R1	Resistor	SMD 470Ω±5%	0603	1	
4	R2	Resistor	SMD 2KΩ±5%	0603	1	
5	R3	NTC	10KΩ±5%NTC B:3435±5%	0603	1	
6	C1	Capacitor	SMD 0.1uF/50V	0603	1	
7	PCB	PCB	44±0.5mm×3.8±0.2×0.6mm (L*W*T)	/	1	

### 3. Application Circuit

